

TMG 162

Physical Characteristics

Appearance	White powder
Density (20°C)	3.95g/cm ³
Boiling point	652°C
Melting point	246°C
Solubility	- soluble in water, alcohols, low-boiling aldehydes and ketones - insoluble in non-polar aliphatic and aromatic solvents

Chemical Characteristics

Purity	≥98.5%
Tin(II) content	≥61.5%
Cu-content	≤0.01%
Fe-content	≤0.003%
Pb-content	≤0.003%

Application

- ★ Good esterification catalyst especially for manufacturing of polyester polyols
- ★ **TMG 162** does not lead to activity of the polyol towards the isocyanates
- ★ Good colors possible

Storage

Stored in the original packaging and avoid light, the room temperature should be 15 °C below.

Packaging

25kg/drum

Special advice for security

Information concerning:

- classification and labelling according to the regulations governing transport and hazardous chemicals
 - protective measures for storage and handling
 - safety measures in case of accident and fire
 - toxicity and ecological effects
- are given in our material safety data sheets.